

**METHOD FOR CREATING AND USING AFFECTIVE
INFORMATION IN A DIGITAL IMAGING SYSTEM**
CROSS REFERENCE TO RELATED APPLICATIONS

Reference is made to commonly assigned U.S. Patent Application
5 Serial No. 09/721,222, filed November 22, 2000, entitled "Method for Adding
Personalized Metadata to a Collection of Digital Images" by Kenneth A. Parulski et
al.; U.S. Patent Application Serial No. _____, filed concurrently herewith
entitled "Method for Using Affective Information Recorded With Digital Images
for Producing an Album Page" by Tomasz A. Matraszek et al.; and U.S. Patent
10 Application Serial No. _____, filed concurrently herewith entitled "An
Image Format Including Affective Information" by Tomasz A. Matraszek et al.; the
disclosures of which are incorporated herein by reference.

FIELD OF THE INVENTION

The present invention relates to systems that retrieve digital images
15 and, more particularly, to systems that retrieve digital images based upon affective
information.

BACKGROUND OF THE INVENTION

Digital images, from digital cameras or scanned photographic film,
can be viewed, stored, retrieved, and printed using a home computer, or can be
20 uploaded to a web site for viewing, as described in commonly assigned U.S.
Patent 5,666,215 to Fredlund et al., the disclosure of which is incorporated herein
by reference. Using a web browser, a group of these digital images can be viewed
and selected for printing, for example using the Kodak Photonet Service. The user
can select the size of each print to be produced, and the quantity of prints to be
25 made from each image.

Images can be organized into categories according to the people,
places, subjects or events depicted, as described in a paper entitled "FotoFile: A
Consumer Multimedia Organization and Retrieval System" by Kuchinsky et al.
This paper describes metadata attributes that are used to describe certain images,
30 including a "favorite" attribute that is used to indicate the "best" images in a user's

collection. However, in this paper, the “favorite” attribute can only be used to help retrieve one user’s images on their own PC, since there is nothing in the “favorite” attribute to designate which user has indicated that this is a “favorite” image. If the PC is used by more than one user, the FotoFile system is unable to distinguish which user labeled the image as a “favorite”. Furthermore, the favorite attribute is stored in a database separate from the digital image files. Therefore, when the digital image files are used on a different system, for example when the images are transferred via a CD-R or other media, or are uploaded to an on-line photo service provider, the favorite attribute information is no longer available.

Various types of metadata related to images have been standardized. For example, the International Organization for Standardization (ISO) group ISO/IEC JTC1/SC29/WG11, “Coding of Moving Pictures and Audio”, has developed an “MPEG-7 Requirements Document” V.8, No. N2727, March 1999, which defines various types of metadata that can be stored with moving images. Also, the Digital Imaging Group (DIG) has developed the DIG35 metadata standard. However, neither of these specifications defines metadata, which indicates that an image is a favorite image for a particular user.

Album pages can be produced from digital images by arranging numerous images on the same page, as described in commonly assigned U.S. Patent 6,004,061 to Manico et al., the disclosure of which is incorporated herein by reference. These album pages can be customized in terms of the size and arrangement of images on the page, the size and finish of the album pages, and the background color or patterns used. The method of organizing digital images on an album page is described in U.S. Patent Application Serial No. 09/559,478, filed April 27, 2000 by Simon, the disclosure of which is incorporated herein by reference. However, this method does not enable a user’s favorite images to be automatically featured, for example by making them larger or more prominent, unless the user manually intervenes and manually adjusts their images.

SUMMARY OF THE INVENTION

It is an object of the present invention to make use of affective information related to a user's reaction to an image to classify such image based upon such reaction.

5 This object is achieved by a method for providing a retrieval scheme for stored digital images, comprising the steps of:

- a) providing affective information to classify at least one digital image from a plurality of stored digital images;
- b) providing a user identifier;
- 10 c) associating the affective information and the user identifier with the at least one digital image; and
- d) using the affective information and the user identifier to facilitate retrieval of the at least one digital image.

ADVANTAGES

15 It is an advantage of the present invention to make use of affective information to classify a user's reaction to digital images.

It is an additional advantage of the present invention that a user's reaction can be manually input by the user, using a mouse, keypad, or speech recognition, or can be automatically determined by one or more determining how
20 long a given image was viewed by the user, by the user's facial expression or gaze, or by measuring the user's physiology.

It is a further advantage of the present invention that affective information is associated with a user identifier which defines which user's reaction is provided by the affective information.

25 It is a further advantage of the present invention to associate affective information for multiple users with the same digital image.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 depicts a block diagram of a home computer system for creating affective information;

FIG. 2 is a flow diagram showing an embodiment of a system for creating affective information;

FIG. 3A and FIG. 3B depict a user interface for selecting signal recordings for creating affective information;

5 FIG. 4A is an example of a personal affective tag for a single user;

FIG. 4B is an example of affective metadata for multiple users with multiple personal affective tags;

FIG. 4C depicts an image file including affective metadata;

10 FIG. 5 is a flow diagram of a typical method for using affective information in a digital imaging system;

FIG. 6 depicts a flow diagram for creating album pages;

FIG. 7A depicts a customized album page produced using affective information;

15 FIG. 7B depicts a picture map produced using affective information;

FIG. 8 depicts a block diagram of a networked digital system that uses affective information; and

FIG. 9 depicts a flow diagram for creating customized photo-products using a service provider for a designee.

20 DETAILED DESCRIPTION OF THE INVENTION

The present invention defines methods for determining affective information related to images, for storing affective information and user identifiers in association with digital images, and for using the affective information and user identifiers in retrieving digital images and in producing hardcopy output, such as
25 album pages. The present invention associates the emotional reactions of different people to the same images. When used with networked photosystems, this enables people to share and to use images in more personal ways. By storing affective information and user identifiers in a standard manner, it is possible to automatically create imaging products, such as album pages, which have been
30 personalized using the affective information for a particular user.

Affective information is defined in this patent as information that relates to the feelings or emotions of a person toward images. This information usually describes or represents a person's subjective reaction to a given image. The image could be a still image, or a moving image such as a video clip.

- 5 Affective information can indicate the level of importance a user associates with an image, such as whether the image is a "favorite". For example, a user may take dozens of photographs during an event, such as a wedding or Christmas celebration. Out of these many images, there are normally a few that the user feels are special favorites. Affective information can also include emotional categories,
10 such as fear, anger, happiness, etc.

- A simple example of affective information is a "tag" or "flag", associated with an image, which indicates whether or not the image has been identified as a "favorite" or "important" image for the user. The absence of such a tag indicates that the image has not been identified as a favorite or important
15 image for the user. Such tag represents a binary categorization, classifying images into "favorite" and "normal" categories. In another example, favorite images are categorized into a range of levels. For example, images can be classified between a range of -10 to +10, where 0 is used for an unclassified image, +10 is used for the "most favorite" image or images, and -10 is used for the "least favorite" image
20 or images.

- The present invention recognizes that different users have different emotional reactions to the same image. Therefore, to be useful, affective information relating to images must be associated with a particular user. This can be done by providing a user identifier along with the affective information. The
25 user identifier can be any type of information that enables a particular user to be identified. The user identifier can be a personal identification code such as a globally unique ID (GUID), user number, social security number, or the like. The user identifier can also be a complete legal name, a nickname, a computer user name, or the like. The user identifier can alternatively include information such

as a facial image or description, fingerprint image or description, retina scan, or the like.

The present invention recognizes that a user's emotional reaction to a particular image can change over time. For example, a user may have a favorite photo of one of their adult children and their spouse, taken at a family gathering. Some time later, the couple may divorce. At this later time, the image is no longer the same type of favorite photo, providing the user with happy memories. Instead, it may now be a "disliked" photo, which makes the user sad or angry. Therefore, in some embodiments of the present invention, a date or time period is associated with the affective information. In addition, affective information for the same user, provided at different dates or time periods, can be associated with the image. This history of a user's reaction to a given image also enables analysis of changes in person's reaction that can be used for therapeutic, diagnosis or retrospective purposes.

Affective information can be manually entered by a user, for example using a mouse, keyboard, or voice recognition, or can be collected automatically.

The following are examples of methods for automatically collecting affective information:

- the viewing time of the image, since a longer viewing time normally indicates that this is an important image;
- other behavioral/usage information related to the usage of this image, such as how many times the image was printed or sent to others via e-mail;
- the facial expression of the user, which can be captured automatically by a video camera as the user views the image;
- body gestures recorded by a video camera as the user views the image;
- the user's eye movements, such as the gaze path of the user while viewing the image;
- the user's voice, recorded while viewing the image;

the pressure of the user's hand on the input device (e.g. joystick or mouse) recorded while viewing the image; and

the user's biometric or physiological responses recorded as the user views the image. These can be any combination of signals, including EMG, temperature, GSR, heart rate, brain waves EEG, brain-imaging signals, etc.

The following are examples of methods for a user to manually provide affective information:

having the user "click" a mouse on an icon representing a "favorite image" tag;

having the user type in a keyword, or select a keyword from a group of keywords, describing a subjective reaction (e.g. funny, sad, etc.) to an image; and

having the user annotate the image with a voice recording (e.g. with phrases like "This is my favorite image").

Affective information is typically determined, either manually or automatically, as a user views images in their home, for example on their home computer. Affective tagging is defined as the process of determining affective information, and storing the affective information in association with the images. When the affective information is stored in association with a user identifier, it is known as "personal affective information". The affective information and user identifier are types of image "metadata", which is a term used for any information relating to an image. Examples of other types of image metadata include image capture time, capture device, capture location, date of capture, image capture parameters, image editing history, etc.

The personal affective information can be associated with a digital image by storing the personal affective information within the image file, for example using a TIFF IFD within an Exif image file. Alternatively, the personal affective information can be stored in a separate database. In some embodiments, this information is stored along with security and access permissions information, to prevent unauthorized access to the information.

Referring to FIG.1, there is illustrated a desktop computer system made in accordance with the present invention for providing personal affective information, associating it with image(s) as image metadata, and storing the images and the associated personal affective information. The personal affective information is then used to provide improved image retrieval, and to provide customized photoproducts.

The system depicted in FIG. 1 includes a home computer 10 (with associated peripherals) located at the user location (e.g. their home). It is understood that a system such as a game console, dedicated Internet appliance, set top box, or retail kiosk may be substituted for the home computer system 10. The home computer 10 is connected through a modem 22 or other communications interface to a communication service provider, such as an Internet service provider 30. The home computer 10 includes a CPU motherboard 12, a display monitor 14, and a hard drive storage device 20 that can store high resolution image files such as digital still or digital motion images and associated metadata. The metadata includes personal affective information as well as other metadata, for example audio information associated with particular images.

The home computer includes various image input peripherals, including a scanner 28, a CD reader 26, and a digital camera 24. The scanner 28 is used to scan prints or film and produce digital images. The CD reader 26 is used to input digital images from a CD-R disc, such as a Kodak PictureCD (not shown). The user can also download images from a Service Provider using the modem 22. The home computer 10 can also connect to a local printer (not shown), such as an inkjet printer, to allow images to be printed at the user's home.

The digital camera 24 can be a digital still camera such as the Kodak DC 4800 digital camera manufactured by Eastman Kodak Company, Rochester New York. Alternatively, the digital camera 24 can be a digital motion camera such as the Kodak MC3 portable multimedia device, which records motion and sound video files, in addition to still images. The digital camera 24 connects to the home computer 10 via a cable employing a common interface, such as the

well known Universal Serial Bus (USB) interface or the IEEE 1394 interface. Alternatively, digital camera 24 can connect to the home computer 10 using a wireless interface, such as the well known Bluetooth interface or the IEEE Standard 802.15 interface. Alternatively, the images can be transferred from the digital camera 24 to the home computer 10 using a removable memory card, such as a CompactFlash card and a card reader (not shown).

In order to provide affective information, the home computer 10 is connected to a keyboard 16 and a pointing device 18, such as a mouse or trackball. In a preferred embodiment, the pointing device 18 also includes sensors that can detect the user's physiological signals, including the GSR (Galvanic Skin Response), hand temperature and heart rate. The sensors also detect ambient temperature.

The home computer 10 is optionally connected to video camera 4. The video camera captures video images of the face of the user 2, and stores this video information on the hard drive storage 20. The video camera 4 can be, for example, a DV325 tethered camera sold by Eastman Kodak Company. The camera connects to the home computer 10 via a cable employing a common interface, such as the Universal Serial Bus (USB) interface.

The home computer 10 is provided with appropriate software for creating and using personalized affective information in accordance with the present invention. This software is typically stored on hard drive 20, and provided using a CD-ROM disc (not shown) which can be read by CD reader 26, or can be provided on a floppy disk (not shown) which is loaded into the home computer 10 via a floppy disk drive (not shown). Alternatively, this software can be downloaded from the Internet via modem 22.

The home computer 10 is connected to a network, such as the Internet, as shown in FIG. 8. As depicted in FIG. 8, many different home computers 10A, 10B, 10C, and 10D are connected to the Internet by various Internet service providers (ISPs) 30A, 30B, and 30C. The ISPs provide a connection to a service provider 40. The ISP 30A-C includes banks of modems 32,

one of which is connected to communicate with the modem 22 of the user's computer 10. The modem 32, in turn, communicates with computers/routers 34 in order to provide a connection to the channel 36 using equipment and techniques well known to those skilled in the art.

5 The service provider 40 is connected to the channel 36, such as the Internet, by a network server 42, such as an Internet server, which is comprised of one or more computers and associated peripherals. The service provider 40 also includes an electronic database 44. The electronic database 44 provides information describing numerous image bearing product options, including
10 different print sizes, different output formats such as mugs and t-shirts, and printing a group of digital images onto album pages. The electronic database 44 can be contained on the same computer as the network server 42, or can utilize a separate computer, or can be distributed over several computers at the same physical site, or at different sites.

15 As shown in FIG. 8, the electronic database 44 is connected to production controller 52. The production controller 52 controls one or more color hardcopy printers 54, which can produce album pages 56 or separate hardcopy prints 58, which are examples of photoproducts. The production controller 52 can optionally be connected to a transfer printer (not shown) for producing transfer
20 prints that can be used to produce t-shirts, coffee mugs, etc. incorporating one or more images uploaded by the user. The production controller 52 also controls a shipping system 70, which controls a shipping label printer 72 to produce a shipping label 74. The shipping label 74 is attached to a shipping container (e.g., a cardboard box containing packing material) that contains and protects the
25 photoproducts during shipment (e.g., via air express mail, ground carrier, etc.) to the customer or the customer's designee.

 On a regular basis (e.g. monthly) or alternatively whenever a photoproduct is purchased by the user, the electronic database 44 communicates with a billing system 46 to verify that the payment identifier (e.g., credit card or
30 debit card number) provided by the customer is valid, and to debit the account for

any purchases made, or for any monthly service fees for providing services to the user, such as for storing user images and associated personal affective information. As shown in block 48, the bill is issued. The customer's account that is debited can, of course, be located at a remote financial institution.

5 The service provider 40 is located at a second location, typically in another city, remote from the user's computer 10. The various portions of the service provider 40 can be located in a single building or complex of adjacent buildings, or can be geographically dispersed over several sites in different cities or even different continents. For example, the electronic database 44 and the album
10 production controller 52 can be provided by computers located in different cities and interconnected via a suitable digital communications network, such as the Internet. Furthermore, the electronic database 44 can itself be distributed over several computers in several different locations.

 The electronic database 44 also provides long-term storage of the
15 uploaded images and associated personal affective information. In this embodiment, stored images are accessible (e.g. viewable) via the Internet by authorized users, as described, for example, in commonly assigned U.S. Patent 5,760,917 to Sheridan, the disclosure of which is herein incorporated by reference.

 The electronic database 44 includes information describing different
20 features of the albums and other photoproducts that can be selected and customized by the customer at the remote location, using the customer's computer 10. The electronic database 44 also includes information describing photoproduct options, for example album features such as providing various background colors or textures, page numbers, page captions, image captions, etc. The album pages can
25 be bound in a cover, or can include holes to permit the pages to be inserted into a standard binder, such as a three-ring binder. These album feature options can be demonstrated via software programs, for example, JAVA applets, MPEG or QuickTime movies, or Shockwave files, which depict the functionality of features that the customer can choose.

In addition to home computers 10A-10D, other types of devices can be used to provide or access images via channel 36. These devices include Wireless PDA devices 37, retail kiosks 38, and electronic picture frame devices 39, all of which can be used to retrieve images and associated affective information
5 from database 44 through channel 36 via one of the ISPs 30A-C.

Referring to FIG. 2, there is shown a flow diagram illustrating embodiments of the present invention, implemented in the system described in relation to FIG. 1 and FIG. 8. This embodiment includes both automatic and manual determination of affective information.

10 In block 110, a user opens a new set of images by inserting the CD-ROM into the CD reader 26 of the home computer 10. In a preferred embodiment, the CD-ROM also includes the software application that implements the method of FIG. 2. In this case, the software is automatically installed as part of block 112, if necessary, so that it can be used by CPU motherboard 12.

15 In block 112, the application which implements the method of the present invention is launched automatically, when the images are viewed for the first time by a user. Alternatively, the user can start the application manually and load a new set of images from the digital camera 24, the scanner 28, or from other image sources including the Internet.

20 In block 114, the user enters their personal ID and password. Alternatively, this step can be provided automatically by the operating system of the home computer 10 when the user "logs on" to the computer. In an alternative embodiment, the video camera 4 is used in conjunction with face recognition software to automatically determine the user, and provide an appropriate user
25 identifier, such as their name or personal identification code.

In block 118, the home computer 10 asks the user whether the user wants to manually provide affective information, or instead have the system automatically provide affective tagging while the user views the images.

In block 120, if the user selects automatic affective tagging, the
30 home computer 10 provides a selection of signals that can be recorded in order to

determine the user's emotional reaction as they view images. An example of a screen displayed on monitor 14 to enable this user selection is shown in FIG. 3A. Three signals are marked as defaults: viewing time per image, the facial expression recorded by the video camera 4, and physiological signals detected through sensors in pointing device 18. Depending on the hardware configuration, other signals may be listed in the selection.

In block 122, the user selects which signals are to be recorded in order to determine the affective information. In FIG. 3B, there is shown an example of signals selected by the user, including viewing time, facial expression, and physiology. The physiological signals selected by the user include heart rate, hand temperature, and galvanic skin response (GSR).

In block 124, the home computer 10 retrieves the first image from the CD-ROM (or other image source) and in block 126, the home computer 10 displays the image on the monitor 14.

In block 128, the home computer 10 automatically records the signals that the user selected in block 122 (e.g. the viewing time, a video of the user's face, and physiological signals).

In block 130, the user clicks the pointing device 18 to indicate that they want to move to the next image. Alternatively, the user can provide some other form of input, such as hitting a key on the keyboard 16, providing an audio command which is input by a microphone (not shown), providing a gesture captured by video camera 4, or using other input devices.

In block 132, the home computer 10 determines if this is the last image of the image set.

In block 134, if this is not the last image, the home computer 10 retrieves the next image of the image set and repeats blocks 126 through 132.

In block 136, if this is the last image, the home computer 10 analyzes the recorded affective signals in order to create affective information and creates affective tag. This step includes determining the degree of emotional importance of each image of the set, for the user 2. In a preferred embodiment,

the home computer 10 estimates the emotional positive importance of each image of the set based on the user's facial expression (e.g. smiling), viewing time, and skin conductance.

5 The home computer 10 can detect the facial expression recorded by the video camera 4 using well known facial expression detection algorithms. An example of one such algorithm is "Facial Expression Recognition using a Dynamic Model and Motion Energy" by Irfan A. Essa and Alex Pentland published in the Proceedings of the ICCV 95, Cambridge, MA, June 1995. A detected smile is a positive facial expression.

10 In block 128, the facial expression of the user 2 was recorded as the user viewed the set of images. Frames of the video signal from the video camera 4 are then processed using facial expression recognition software, and classified into at least two categories: positive and not positive. The positive category is assigned when the smile is detected on the user's face. The not positive
15 category is assigned if a smile has not been detected on the user's face. Alternatively, the facial expression may be more classified into a broader range of categories, such as happiness, sadness, despair, disgust, love, etc. and further classified using a range of values for these categories, such as for example strongly positive, somewhat positive, neutral and somewhat negative, and strongly
20 negative. As a result of facial recognition, images in the positive category are then considered to be a user's favorite images, while images in the not positive category are not considered to be the user's favorite images.

 The longer the image viewing time, the higher probability of positive image importance for that particular image. In blocks 126 - 134, the user
25 views images, one at a time, on the monitor 14 and proceeds to the next image by clicking the mouse button. The time interval between two consecutive images is determined by a home computer 10 and recorded as an affective signal. The paper entitled "Looking at pictures: Affective, facial, visceral, and behavioral reactions", *Psychophysiology*, 30, pp. 261-273, 1993, by P.J. Lang, M.K. Greenwald, M.M. Bradley, and A.O. Hamm, reports that on average, viewing time linearly correlates
30

with the degree of the interest or attention an image elicits in an observer. This paper compares the viewing time with the degree of the interest for third party pictures. In the present invention, the viewing time information is assessed for one or more users, for first party images.

5 The relationship between viewing time and user interest is used by the home computer 10, which interprets the viewing time as an indication of the user's interest toward an image, or as a degree of importance of the image. The relative degree of interest for a specific image is determined as the viewing time for this specific image divided (or normalized) by the maximum viewing time
10 among all images of the set. This relative degree of interest is used by the home computer 10 to rank the images in the set in a systematic and continuous manner, as "important" or "favorite" images. The most favorite images are those that have higher relative degrees of interest for a specified user.

 To ensure that the viewing time is not improperly judged as a result
15 of user distraction, the video camera 4 can be used to ensure that the user 2 is directing their gaze towards the monitor 14, and is not distracted by other tasks, or has even left the room.

 Skin conductance is a magnitude of the electrical conductance of the skin that is measured as a response to viewing the image. This signal is
20 recorded using a biometric sensor. A computer mouse that is able to detect and record skin conductance has been developed by IBM Corp. Skin conductance or galvanic skin response reflects a degree of interest toward the picture as described in a paper entitled "Looking at pictures: Affective, facial, visceral, and behavioral reactions", *Psychophysiology*, 30, pp. 261-273, 1993, by P. J. Lang , M.K.
25 Greenwald, M.M. Bradley, and A.O. Hamm. The skin conductance changes depending on the arousal the image elicits in the viewer: the higher the skin conductance, the higher the arousal or excitement, and vice versa: the lower the skin conductance, the lower the arousal. Therefore, the measure of the amplitude of the skin conductance response which is the difference between skin
30 conductance before an image onset and the extremum of the skin conductance

developed within a few seconds after an image onset, can be used to determine the user's interest or attention to a certain image.

Based on the skin conductance recorded using the pointing device 18, every image of the set is assigned a degree of interest. The value is a function of the magnitude of the skin conductance for the particular image, divided by the maximum skin conductance response recorded for the image set. The images in the set can be ranked as favorite images by using these values. The lower relative skin conductance, the more "favorite" the image is.

The three affective signals can be further combined to obtain an integral measure of positive interest. For every image in the set, the relative degrees of interest are obtained based on the viewing time (degree of interest via viewing time, **DItime**) and the skin conductance response (degree of interest via skin conductance response, **DIskin_response**) as described above. If an image was classified as positive based on the assessment of facial expression, the image is assigned a value of 1 for positive response (**PR**). If an image was classified as not positive, a value of 0 is assigned for positive response. Then a measure of positive interest (e.g. importance or "favoriteness") can be computed for every image using an appropriate function. One such function is a sum of all three measures:

$$\text{Positive Interest} = \mathbf{DItime} + \mathbf{DIskin_response} + \mathbf{PR}.$$

Other appropriate functions include a weighted sum of these three measures, where the weights are determined based on the standard deviation within each of the normalized (divided by the maximum value) signals over the image set. In this case, the higher the standard deviation within the signal, the higher the weight of the contribution for the signal into the measure of positive interest. Consequently, the lower the standard deviation of a given signal, the lower the weight of the contribution for the corresponding signal into the measure of positive interest. The reason for this dependency stems from the assumption that a standard deviation of a particular measure reflects a degree of differentiation

between the images along a given measure. This implies that the signal with the highest standard deviation has more differentiation power, and therefor is more important to consider while determining an integral measure of positive interest.

In block 140, if the user selected manual affective tagging in
5 block 118, the images in the image set are displayed on the monitor 14 as small thumbnail images. In block 142, the user manually selects images, which are favorites, and enters manually affective information (e.g. degree of positive importance/favorite) for the selected images. This may be done using the methods described in commonly assigned U.S. Patent Application Serial No. 09/721,222,
10 filed November 22, 2000, entitled "Method for Adding Personalized Metadata to a Collection of Digital Images" by Parulski, the disclosure of which is incorporated herein by reference.

In block 146, the affective information from block 136 or 142 is used to provide personal affective tags, which are associated with the
15 corresponding images of the image set. The association can be accomplished by including the personal affective tags within each image file of the set or by providing the personal affective tags in a separate database, along with a name or pointer to the corresponding image associated with each tag. The database can be stored on hard drive 20. The personal affective tag includes a user identifier, as
20 described earlier in relation to block 114.

An illustrative example of a personal affective tag is shown in FIG. 4A. FIG. 4A depicts a file data structure of a personal affective tag for a single user, which includes a personal identification field, two affective records captured at two different times, and one behavior record.

25 The personal affective tag field identifies the data structure in the file as containing personal affective tag data. A personal identification code is stored in the personal identification field. This field identifies the user, whose affective information is stored in this personal affective tag.

The affective records stores affective information directly related to
30 a user's reaction to an image. This includes the date and the place the affective

information was collected. The first affective record stores affective information captured at a first time and location specified in the first Location field and Time field, and the second affective record stores affective information captured at a second time and location specified in the second Location field and Time field.

- 5 The affect field in the affective record stores the subjective reaction(s) determined when the image was viewed by the user identified by personal identification code stored in the personal identification field. In the simple embodiment, the affect field can store an “importance” or “favorite” ranking ranging from -10 to 10, where 10 means the most favorite and -10 means the least favorite. Alternatively,
- 10 the affect field can include basic emotion (e.g. happy) with a corresponding ranking that quantifies the intensity of the detected emotion. The affect determination can be the result of automatic detection or a manual entry by the user, as described earlier in relation to FIG. 2.

- The minimum required information contained in a personal affective
- 15 tag consists of the personal identification code stored in the corresponding field, and at least one subjective reaction (affect) stored in the affect field. Other optional fields shown in FIG. 4A include the time the affective information was collected, stored in the Time field. The personal affective tag can also contain other affective data related to the affective signals selected by the user in step 122. These fields
- 20 can include the viewing time field, physiology temperature field, physiology heart rate field, physiology EEG field, face expression field, the gaze tracking field, and the touch pressure field.

- The behavior record stores information related to the usage of the image, including the number of times the image was viewed by the user, the
- 25 number of times the image was printed by the user, and the number of times the image was sent by e-mail by the user.

Referring to FIG. 4B, there is shown an example data structure of affective metadata for a single image, which provides personal affective information for multiple users. Personal affective tag 1 indicates that on August 1,

2000, a first user (user 1) provided affective information (either manually or automatically) which gave the associated image an importance rating of 8 (on a -10 to 10 scale). Personal affective tag 2 indicates that on July 4, 2001, a different user (user 2) provided affective information, which gave the same associated image
5 an importance rating of 4. Personal affective tag 3 indicates that on October 8, 2001, the first user (user 1) provided affective information, which now gave the same associated image an importance rating of -5.

Referring to FIG. 4C, there is shown an example of an image file, which contains image metadata and image data. The image file can be a JPEG
10 image files, such as an Exif/JPEG file, a TIFF file, a JPEG 2000 image file, or can utilize many other image file formats. The image metadata includes well known capture device metadata. This capture device metadata can include the make of the digital capture device that provided the image, for example the make of the digital camera. It can also include the image capture date and capture device settings,
15 such as the camera lens focal length, f-number, etc. In accordance with a preferred embodiment of the present invention, the image metadata includes one or more personal affective tags. Each personal affective tag includes a user identifier stored in a personal identification field, and at least one Affective Record, such as an importance rating. A single image file can include a plurality of affective tags for a
20 plurality of different users.

In block 148 of FIG. 2, the personal affective tags are used to retrieve or print images. Referring to FIG. 5, there is shown a flow diagram of an exemplary embodiment of the present invention of a retrieval system on the home computer 10. In this embodiment, the personal affective information is used to
25 assist in the image retrieval process, and is used to improve the process of providing photoproducts, such as album pages, which utilize the set of images described earlier in relation to block 110. It will be understood that the image retrieval can be done immediately after the personal affective information is created, or at a later time. It will also be understood that prior to image retrieval,
30 other users may have provided affective information for the same set of images, so

that each image has associated affective information for a plurality of users. If the image retrieval is done at a later time, the user is asked to enter their personal ID and password, as described earlier in relation to block 112. This is done so that the appropriate user identifier can be used to retrieve the appropriate personal affective information for the user.

In block 149 of FIG. 5, the retrieval user initiates the image retrieval and utilization process, by selecting, using the pointing device 18, an appropriate menu item (such as a menu item named “retrieve images”) displayed on monitor 14.

In block 150, the home computer 10 provides a thumbnail display of the set of images on the monitor 14. The thumbnails are ordered according to “importance” rating of the images for the particular user. The higher rated images are displayed first, and the lowest rated images are displayed last. The rating can also be displayed alongside each associated image. As a result, the user’s personal affective information is used to determine the order of presentation of the retrieved images.

In block 152, the user is asked if they want to change the ratings. If the user responds in the affirmative, in block 154 the user can manually adjust the rating. The home computer 10 stores new personal affective information for the user, for each image whose rating is manually adjusted.

In block 156, the user selects one or more services and applications of interest. These can include creating customized album pages (block 158), uploading images or album pages to the service provider 40 for printing (block 160), sending favorite images by e-mail (block 162), creating a picture map (block 164), and adding the image set (including the associated personal affective tags) to a user’s collection on the local hard drive 20, or on a remote server (step 166), for sharing with family and friends via the Internet.

In block 170, the user is asked if they are done, or if they want to select additional services or products. In block 172, the process ends.

FIG. 6 is a flow diagram of an exemplary embodiment of the present invention of a system for creating album pages that uses affective information. Affective information can be used by the system to create album pages in the following ways:

- 5 to retrieve favorite images to be included on album pages;
- to position most favorite images in the center of the page;
- to resize most favorite images to be bigger than other images on the page;
- and
- to change the background surround the most favorite images to emphasize
- 10 their importance (e.g. providing a bold framing feature).

The flow diagram in FIG. 6 describes in more detail the process of creating album pages, which is block 158 in FIG.5. In block 305 of FIG. 6, the user specifies the number of album pages, and selects images for each album page. In an alternative embodiment, the system can automatically select images for each

15 page by using the capture date information, stored in image metadata, and the number of pages specified by the user, to group the images on pages according to the date.

In block 310, the system automatically creates the specified number of album pages from the selected images. In a preferred embodiment of the present

20 invention, the images are automatically organized into album pages using emphasis images, as described in commonly assigned U.S. Patent Application Serial No. 09/559,478, filed April 27, 2000 by Simon, the disclosure of which is incorporated herein by reference. In the present invention, the most favorite images are automatically identified as emphasis images. As described in the Simon

25 et al. patent, the emphasis image is located in the center of the page and is larger than other images on the page. This method of emphasizing the most important images can be repeated for each album page, to create specified number of album pages.

After the album pages are automatically arranged, in block 310, the

30 user is asked whether they want to modify the arrangement, in block 312. The user

can then change the number of pages (block 314), the number of images on a selected page (block 316), the layout of the selected page (block 318), and the size of images on the page (block 320). The user can also select different images to include on the pages (block 322). When the user is satisfied with the appearance of the album pages (block 324), then user then decides (block 326) whether to print the album pages locally (block 330) or to instead order printed album pages from the service provider 40 (block 328). The album pages can be produced using the methods described in commonly assigned U.S. Patent 6,004,061 to Manico et al., the disclosure of which is herein incorporated by reference. The process ends at block 332.

Referring to FIG. 7A, there is shown an example of a created album page. Five images (P1 – P5) are formatted and put on the album page by the home computer 10, or by the service provider 40. When the system automatically creates an album page, the most favorite image is featured. This can be done by positioning this most favorite image in the center of the page (image P1). This can also be done by formatting the most favorite image (P1) so that this image is larger in size than the other images on the page. This can also be done by providing a background frame, or another type of background surround, that draws attention to this particular image. In addition, image attributes of the most favorite image can be modified to emphasize its importance. For example, this image can be processed to increase its sharpness, color saturation, etc.

The most favorite image is automatically selected from the set of images assigned for the album page, based on the personal affective information associated with images for the particular user. If a second user, having different personal affective information, were to request an album page including the same set of images, it is likely that a different image would be featured, since a different image is likely to be the most favorite image for that second user. Thus, album page layout is automatically customized for the particular user, based on the personal affective information for that user.

Referring to FIG. 7B, there is shown an example of a picture map created in block 166 of FIG. 5. In this example, seven images (P1 – P7) are formatted and put on the picture map. In one exemplary embodiment, the system can automatically select an appropriate map based on geographic location information stored as metadata associated with the images. Such metadata can be created automatically at capture time (e.g. by the digital cameras with GPS – Global Positioning System) or manually by the user. For each different location specified by the metadata, the system selects the most favorite image captured in that location and places it in the proper place on the map. The most favorite images are automatically selected by the system based on the personal affective information associated with the images. In FIG. 7B, seven locations have been identified, and the seven most favorite images (P1 – P7) corresponding to these locations have been selected and placed on the map.

Referring to FIG. 9, there is shown a flow diagram of an exemplary embodiment of the present invention of using affective information to create customized photoproducts through a communications network, such as the Internet. In the present invention, customized photoproducts, such as album pages, are created based on personal affective information associated with the images.

In block 510, the customer logs onto a web site provided by the photo service provider 40 (FIG. 8). In general, the customer may not be the same person as the user who created the affective information in FIG. 2. For example, this is the case when one family member creates personalized photoproducts for other family members or friends using their favorite images.

In block 512, the customer enters their personal ID and password, as described earlier in relation to block 114 of FIG. 2.

In block 514, the customer selects whose favorite images they want to browse. The customer can choose to browse through their favorites, and/or through favorite images provide by their family members or friends. To browse through other people's favorite images, the customer must have access permission, as described in commonly assigned U.S. Patent 5,760,917 to Sheridan, referenced

earlier. These access permissions are created when images are uploaded and stored by a user in database 44.

In block 516, the customer browses through favorites by date and/or event and selects images of interest (e.g. by clicking on images to be selected). In
5 block 518, thumbnails of all selected images are displayed. In block 520 and 522, the customer can modify their selection of images.

In block 524, the customer selects one or more desired products, and the designee who is to receive the product. If the user has access permission for the designee, the service provider can automatically determine the user identifier for
10 the designee, so that personal affective information for the designee can be used to customize the photoproduct to be order and shipped to that designee, for example as a gift.

Using the customer selected images, different customized photoproducts can be created. In block 526, album pages can be selected. In block
15 528, a customized calendar including customer selected images can be selected. In block 530, a montage poster can be selected. This is a large poster containing a creative background and many different images. In block 532, the customer can choose to create a picture map. In block 540, the customer decides whether they are done selecting photoproducts, or want to select additional photoproducts.

In block 542, the personal affective information for the designee is
20 used to feature the most favorite images, as the photoproduct is organized. As described earlier in reference to FIG. 5, when album pages, calendars, or montage posters are created, the personal affective information is used to select one or more particularly favorite images to be featured. These featured images are printed
25 larger than the others are, and in more prominent locations in the photoproduct.

In block 546, the photoproduct is produced and shipped to the customer's designee, and the customer is billed by the service provider.

A computer program product can include one or more storage medium, for example; magnetic storage media such as magnetic disk (such as a
30 floppy disk) or magnetic tape; optical storage media such as optical disk, optical

tape, or machine readable bar code; solid-state electronic storage devices such as random access memory (RAM), or read-only memory (ROM); or any other physical device or media employed to store a computer program having instructions for practicing a method according to the present invention.

- 5 The invention has been described in detail with particular reference to certain preferred embodiments thereof, but it will be understood that variations and modifications can be effected within the spirit and scope of the invention.

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2

PARTS LIST

2	user
4	video camera
10A-D	home computer systems
12	CPU motherboard
14	monitor
16	keyboard
18	pointing device with physiology sensors
20	hard drive
22	modem
24	digital camera
26	CD reader
28	scanner
30A-C	Internet service provider
32	modems
34	computers/routers
36	channel
37	PDAs
38	retail kiosks
39	electronic picture frame device
40	service provider
42	Internet server
44	electronic database
46	billing system
48	bill issuing
52	production controller
54	hardcopy printers
56	album pages

PARTS LIST

70	shipping system
72	shipping label printer
74	shipping label
110	block
112	block
114	block
118	block
120	block
122	block
124	block
126	block
128	block
130	block
132	block
134	block
136	block
140	block
142	block
146	block
148	block
149	block
150	block
152	block
154	block
156	block
158	block
160	block

PARTS LIST

162	block
164	block
166	block
170	block
172	block
305	block
310	block
312	block
314	block
316	block
318	block
320	block
322	block
324	block
326	block
328	block
330	block
332	block
510	block
512	block
514	block
516	block
518	block
520	block
522	block

524	block
526	block
528	block
530	block
532	block
540	block
542	block
546	block